


## VMSKV-B 20-09



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



|                                       |                                  |
|---------------------------------------|----------------------------------|
| <b>Material cable gland</b>           | Brass lead-free chromium-plat.   |
| <b>Material sealing gasket</b>        | EPDM                             |
| <b>Material earthing insert</b>       | brass lead-free chromium plat.   |
| <b>Temp. range min</b>                | -40 °C                           |
| <b>Temp. range max</b>                | 100 °C                           |
| <b>Protection class</b>               | IP66 / IP68 (5 bar 30 min), IP69 |
| <b>Thread type</b>                    | M                                |
| <b>Ø Connection thread D</b>          | 20                               |
| <b>Lead</b>                           | 1,5                              |
| <b>Length screw-in thread L</b>       | 10 mm                            |
| <b>Ø cable diameter min</b>           | 7,5 mm                           |
| <b>Ø cable diameter max</b>           | 14 mm                            |
| <b>Ø cable below cable shield max</b> | 9 mm                             |
| <b>Key width SW1</b>                  | 24 mm                            |
| <b>Key width SW2</b>                  | 26 mm                            |
| <b>Collar diameter E1</b>             | 26 mm                            |
| <b>Collar diameter E2</b>             | 28 mm                            |
| <b>Total length TL</b>                | 50 mm - 62 mm                    |
| <b>Install. torques fitting</b>       | 8 N m                            |
| <b>Install. torques cap nut</b>       | 8 N m                            |
| <b>Impact category</b>                | 6                                |
| <b>Surface</b>                        | Chromium-plated                  |
| <b>WISKA-Order no.</b>                | 10114072                         |
| <b>Type</b>                           | VMSKV-B 20-09                    |
| <b>Packing unit</b>                   | 10                               |

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

|                               |                        |
|-------------------------------|------------------------|
| <b>Tariff number</b>          | 85369010               |
| <b>EAN number</b>             | 4007686326284          |
| <b>ETIM-Classification</b>    | EC000441               |
| <b>VG Registration number</b> | E71E330/26002          |
| <b>VG Labeling</b>            | VG88846-4-A012-09-B-LF |

29.08.2026

Your Contact:


**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice