

## VMSKV-B 56-36



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



|                                |                                  |
|--------------------------------|----------------------------------|
| Material cable gland           | Brass lead-free chromium-plat.   |
| Material sealing gasket        | EPDM                             |
| Material earthing insert       | brass lead-free chromium plat.   |
| Temp. range min                | -40 °C                           |
| Temp. range max                | 100 °C                           |
| Protection class               | IP66 / IP68 (5 bar 30 min), IP69 |
| Thread type                    | M                                |
| Ø Connection thread D          | 56                               |
| Lead                           | 2                                |
| Length screw-in thread L       | 15 mm                            |
| Ø cable diameter min           | 28 mm                            |
| Ø cable diameter max           | 48 mm                            |
| Ø cable below cable shield max | 36 mm                            |
| Key width SW1                  | 68 mm                            |
| Key width SW2                  | 68 mm                            |
| Collar diameter E1             | 73 mm                            |
| Collar diameter E2             | 73 mm                            |
| Total length TL                | 78,5 mm - 97,5 mm                |
| Type of cable anchorage        | A                                |
| Install. torques fitting       | 40 N m                           |
| Install. torques cap nut       | 40 N m                           |
| Impact category                | 6                                |
| Surface                        | Chromium-plated                  |
| WISKA-Order no.                | 10114107                         |
| Type                           | VMSKV-B 56-36                    |

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

|                        |                        |
|------------------------|------------------------|
| Packing unit           | 1                      |
| Tariff number          | 85369010               |
| EAN number             | 4007686326994          |
| ETIM-Classification    | EC000441               |
| VG Registration number | E71E330/26002          |
| VG Labeling            | VG88846-4-A007-36-B-LF |

29.08.2026


Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice